WEYAUWEGA

CORPORATE BOUNDARIES - as of December 1, 1983

OFFICE OF THE SECRETARY OF STATE State of Wisconsin

Filed December 22, 1983

Nick Wohlt Administrator Clerk-Treasurer CITY OF WEYAUWEGA

Office of City Clerk-Treasurer Phone 414-867-2630

STATE OF WISCONSIN



Verona Fink Deputy Clerk WEYAUWEGA, WI 54983

DEC 22 1983 "Here We Rest"

December 21, 1983

DOUGLAS LA FOLLETTE SECRETARY OF STATE

CERTIFICATE FOR REPORTING CORPORATE LIMITS OF CITY OF AFTER ALTERATION

I, Nicholas G. Wohlt, City Clerk of the City of Weyauwega, County of Waupaca, State of Wisconsin, DO HEREBY CERTIFY that the corporate boundaries of the said City as of December 1, 1983, exist as per the attached boundary description

Nicholas G. Wohlt, City Clerk

## BOUNDRY DESCRIPTION OF CORPORATE LIMITS-CITY OF WEYAUWEGA July 29, 1983

That part of Sections 3, 4, 5, and 9, all lying in T21N R13E & Part of Section 34, T22N R13E, more fully described as follows:

All of Section 4:

- Also- The West & of the SW & of Section 3:
- Also- That part of Government Lot 8 and of the SE% of the SW% of Section 3, bounded by a line beginning at point which is 33 rods North of the SW corner of said SE%, SW%, Section 3; thence East 4 rods; thence North parallel with the 1/8 Section line to the center of Gills Landing Road; thence Westerly along the center of said road to the said 1/8 Section line; thence South along said 1/8 Section line to the place of beginning.
- Also- That part of the NE% of the NW% of Section 9 bounded by a line beginning at a point on the Section line between Sections 4 and 9, which is 10 rods East from the intersection of the center line of Mill St. with said Section line; thence South 25 rods; thence East 10 rods; thence North 25 rods; thence West 10 rods to the place of beginning.
- That part of Government Lot 8, Section 5, T21N R13E describing as follows: Commencing at the SE corner of Section 5, thence North 0 degrees 18' East, along the East line of said Government Lot 8, 301.33 feet to an iron pipe on the apparent northerly right-of-way line of US Hwy 10, which is the point of beginning of this description, thence continuing North 0 degrees East, 18' East, 742.60 feet to the South line of High St., thence South 89 degrees 44' West, 309.54 feet along the South line of High St. to the North-west corner of block 8, Woodhead and Goetschius Addition to the City of Weyauwega, thence South 0 degrees 18' West 294.37 feet to an iron pipe, thence South 83 degrees 31' West, 181.10 feet to an iron pipe on the apparent Northerly right-of-way line of US Hwy 10, thence South 48 degrees 01' East, 637.48 feet along said right-of-way to the point of beginning.
- Also- That part of Government Lot 7, Section 3, T21N R13E describing as follows: Commencing at W & corner of Section 3, thence running North along the Section line 317 feet, and this shall be the point of beginning; thence East parallel with the quarter Section line of said Section 3, 133 feet, thence South parallel with Section line 100 feet, thence West parallel with Quarter Section line 133 feet, thence North on Section line 100 feet to point of beginning, except the West 33 feet thereof used for street purposes.

- Meyauwega, Waupaca County, WI. described as follows:
  Commencing at a stone monument at the SE corner of said
  Section 5; thence N 0° 53' E, 1361.4 feet along the East
  line of said Section 5; thence N 89° 07' W, 528.0 feet to
  a point on the centerline of old U.S. Hwy 10; thence S
  68° 24' E, 9.06 feet along said centerline; thence N 15°
  04' E, 33.20 feet to the northerly right-of-way line of
  said old U.S. Hwy 10 which shall be the place of beginning
  of this description; thence continuing N 15° 04' E, 344.90
  feet; thence S 40° 39' E, 257.81 feet; thence S 49° 31' W,
  252.0 feet; thence N 68° 24' W, 71.0 feet along the said to northerly right-of-way line of old U.S. Hwy 10 to the point
  of beginning...Containing 1.03 acres, more or less...
- Also-That part of Gov't Lot 8, Section 5, T2lN, R13E, Town of Weyauwega, Waupaca County,, WI; described as follows: commencing at a stone monument at the SE corner of said Section 5; thence N 0 53' E, 1361.4 feet along the East line of said Section 5; thence N 89° 07' W, 528.0 feet to a point of the centerline of old U.S. Hwy 10; thence S 68 24' E, 9.06 feet along said centerline; thence n 15 04' E, 378.10 feet to the point of beginning of this description; thence S 40° 39' E, 307.81 feet to a point which is 200 feet north-westerly from the northerly line of Main Street, as measured perpendicularly thereto; thence N 49° 36' E, 180.0 feet parallel with the said northerly line of Main Street; thence N 409 24 W, 411.3 feet more or less, to the southerly water's edge of Weyauwega Lake; thence southwesterly along said water's edge to a point which is N 40° 57' 20" W from the point of beginning; thence S 40°57° 20" E, 147.92 feet more or less, to the point of beginning...Containing 1.78 acres, more or less... Subject to storm sewer easement granted to the City of Weyauwega...
- Also-Commencing at the South one-quarter corner of Section 34 T22N, R13E; thence N 89 degrees 13 minutes 55 seconds West 2,675.22 feet to the SW corner of the SW one-quarter of said Section 34; thence North along the West line of said SW onequarter 172.14 feet to the N right of way line of Slough Road and the Place of beginning; thence continuing N along said W line 1,105.47 feet to the southerly right-of-way line of Trunk Hwy "X"; thence N 46° 29' 55" E along said southerly line 40.55 feet; thence N 46° 44' 00" E along said southerly line 34.61 feet; thence S 89° 45' 00" E 1,718.54 feet; thence S 1° 30' 37" E 857.89 feet; thence N 84° 18' 46" W 179.71 feet; thence N 54° 48' 29" W 179.16 feet; thence S 66° 42' 15" W 228.75 feet; thence S 1° 00' 55" W 208.04 feet; thence S 39° 34' 26" W 337.16 feet to the northerly right-of-way line of Slough Road; thence along the northerly right-of-way line being the arc of a curve to the right with a radius of 1,399.40 feet, the chord of which bears N 79° 47'40" W 336.98 feet; thence continuing along said northerly right-of-way line being the arc of a curve to the left with a radius of 1,670.02 feet, the chord of which bears N 80° 11' 24" W 424.98 feet; thence N 87 30' 00" W along said northerly right-of-way line 291.44 feet to the place of beginning and containing 44.49 acres of land.

Also- Commencing on the South line of Block Number Seven (7) in Woodhead and Goetschius Addition to the Village of Weyauwega, Waupaca County, Wisconsin, according to the recorded plat thereof, at a point Fifty-eight (58) feet West of the Southeast Corner of said block, and running thence in a Northwesterly direction to a point on the South line of Main Street One Hundred Thirty-one (131) feet and Eight (8) inches West of the Northeast Corner of said block, thence Easterly on the South line of said block to the place

of beginning.