## RECEIVED

December 14, 2020

Municipal Boundary Review Wisconsin Dept. of Admin.

## CERTIFICATE FOR REPORTING CORPORATE LIMITS OF VILLAGE AFTER ALTERATION

2 3 4

1

[Pursuant to Section 66.0217(9)(a) Wisconsin Statutes]

5 6 7

8

9

I, Jennifer Weyenberg, Village Clerk of the Village of Harrison, Counties of Calumet and Outagamie, State of Wisconsin, DO HEREBY CERTIFY that the Corporate Boundaries of the said Village have been altered within the previous 12-month period, ending December 1, 2020, and that the following description is the present Corporate Limits of the said Village as of December 1, 2020.

10 11 12

## VILLAGE OF HARRISON CORPORATE BOUNDARY AS OF DECEMBER 1, 2020:

13 LANDS LOCATED WITHIN SECTIONS 32-35 OF T21N-R18E, SECTIONS 1-4, 8-18, 21-26 AND 36 OF

14 T20N-R18E, SECTIONS 5-8, 17-20, 29-32 OF T20N-R19E, SECTIONS 1-2,11-14, T19N-R18E, AND

SECTIONS 5-8, 17 AND 18 OF T19N-R19E, ALL IN THE VILLAGE OF HARRISON, OUTAGAMIE

COUNTY (15 acres) AND CALUMET COUNTY (20,461 acres), WISCONSIN

16 17 18

15

The Corporate Limits of the Village are described as follows:

19 20

BEGINNING at the NE corner of Section 5, T20N-R19E;

Thence S00°32'47"W, 3,007.28 feet along the East line of the fractional NE ¼ to the E ¼ corner of said Section 5;

Thence S00°22'56"W, 2,627.61 feet along the East line of the SE ¼ to the SE corner of said Section 5 also being the NE corner of Section 8, T20N-R19E;

Thence S00°11'38"W, 2,616.48 feet along the East line of the NE ¼ of said Section 8 to the E ¼ corner of said Section 8;

Thence S00°04'52"W, 2,626.84 feet along the East line of the SE ¼ of said Section 8 to the SE corner of said Section 8 and the NE corner of Section 17, T20N-R19E;

Thence S01°33'51"E, 2,629.46 feet along the East line of the NE ¼ of said Section 17 to the E ¼ corner of said Section 17:

Thence S00°58'43"W, 2,626.99 feet along the East line of the SE ¼ of said Section 17 to the SE corner of said Section 17 and the NE corner of Section 20, T20N-R19E;

Thence S00°17'23"W, 2,627.54 feet along the East line of the NE ¼ of said Section 20 to the E ¼ corner of said Section 20;

Thence S00°24'28'W, 2,612.80 feet along the East line of the SE ¼ of said Section 20 to the SE Corner of said Section 20 also being the NE corner of Section 29, T20N-R19E;

Thence S01°10'09"W, 2,626.06 feet along the East line of the NE ¼ of said Section 29 to the E ¼ corner of said Section 29:

Thence S01°05'18'W, 2,633.13 feet along the East line of the SE ¼ of said Section 29 to the SE corner of said Section 29 also being the NE corner of Section 32, T20N-R19E;

Thence S00°41'26"W, 2,631.32 feet along the East line of the NE ¼ of said Section 32 to the E ¼ corner of said Section 32:

Thence S01°12'16"E, 2,637.66 feet along the East line of the SE ¼ of said Section 32 to the SE corner of said Section 32 also being the NE corner of Section 5. T19N-R19E:

Thence S00°32'12'W, 2,635.39 feet along the East line of the NE ¼ of said Section 5 to the E ¼ corner of said Section 5;

Thence S00°21'14"W, 2,638.77 feet along the East line of the SE ¼ of said Section 5 to the SE corner of said Section 5 also being the NE corner of Section 8, T19N-R19E;

Thence S00°32'55"W, 2,627.97 feet along the East line of the NE ¼ of said Section 8 to the E ¼ corner of said Section 8;

Thence S01°38'33"W, 2,633.79 feet along the East line of the SE ¼ of said Section 8 to the SE corner of said Section 8 also being the NE corner of Section 17, T19N-R19E;

Thence S00°50'35"W, 1,566.77 feet along the East line of the NE ¼ of said Section 17 to the SE corner of the Village of Harrison;

55 Thence along the South line of said Village of Harrison the following;

56 Thence N89°50'50"W, 251.13 feet;

57 Thence S89°43'03"W, 1,330.07 feet;

- 58 Thence N89°05'24"W, 1,335.11 feet;
- 59 Thence N89°06'18"W, 1,335.56 feet;
- 60 Thence N89°10'51"W, 927.58 feet;
- 61 Thence N88°55'34"W, 409.01 feet:
- 62 Thence N88°53'58"W, 1,335,95 feet:
- 63 Thence N89°29'21"W, 1,326.68 feet;
- 64 Thence N89°03'00"W, 1,327.67 feet;
- 65 Thence N89°31'33"W, 661.36 feet;
- 66 Thence N89°32'44"W, 666.43 feet;
- 67 Thence N89°58'41"W, 1,974.24 feet;
- 68 Thence N89°58'34"W, 1,261.65 feet;
- 69 Thence N89°50'29"W, 1,372.54 feet;
- 70 Thence N89°50'51"W, 1,917.38 feet;
- 71 Thence N89°41'08"W, 65.98 feet;
- 72 Thence N89°26'47"W, 656.57 feet:
- 73 Thence N89°30'03"W, 1,749 feet more or less to the highwater mark of Lake Winnebago and the SW
- 74 corner of said Village of Harrison;
- 75 Thence Northeasterly along said high water mark to the SW corner of the corporate limits of the Village of
- 76 Sherwood:
- 77 Thence 81,700 feet more or less around said corporate limits of the Village of Sherwood to the highwater
- 78 mark at a Westerly corner of the Village of Sherwood;
- 79 Thence Northwesterly, 29,700 feet more or less along said highwater mark to the East line of lands
- 80 owned by the City of Appleton;
- Thence North, 282 feet along said East line to the NE corner of said lands;
- Thence Westerly, 193 feet along the North line of said lands to the West line of the NW 1/4 of Section 18,
- 83 T20N-R18E;
- Thence Northerly, 2,034 feet along the West line of the of said NW 1/4 to the NW corner of said Section
- 85 18
- Thence Northerly, 2,647 feet along the West line of the SW 1/4 of Section 7, T20N-R18E to the W 1/4
- 87 corner of said Section 7;
- Thence North, 524 feet along the West line of said Section 7 to the SW corner of Tax Parcel ID No. 5688:
- Thence East, 335.07 feet along the South line of said Tax Parcel to the SE corner thereof;
- 90 Thence North, 130 feet along the East line of said Tax Parcel to the NE corner thereof;
- 91 Thence West, 302 feet along the North line of said Tax Parcel to the East Right-of-Way of USH 10 (South
- 92 Oneida Street);
- 93 Thence Northerly, 939 feet along said Right-of-Way;
- Thence West, 35 feet to the West line of said Section 7;
- 95 Thence South, 1,593 feet along said West line to said W ¼ corner;
- Thence South, 1,851 feet along the West line of the SW ¼ of said Section 7 to the North line of Tract 1 of
- 97 Calumet County Certified Survey Map No. 677;
- 98 Thence East, 343 feet along the North line of said Tract 1 to the NE corner thereof;
- 799 Thence South, 136.65 feet along the East line of said Tract 1 to the SE corner thereof;
- 100 Thence West, 309.71 feet along the South line off said Tract 1 to the East Right-of-Way of USH 10 (South
- 101 Oneida Street);
- Thence S01°32'29"W, 662 feet along said East Right-of-Way to the North line of the NW ¼ of the NW ¼
- 103 of Section 18:
- Thence S01°32'09"W, 50.22 feet along the said East Right-of-Way to the North line of Tax Parcel ID No.
- 105 6264;
- Thence S84°55'02"E, 75.38 feet along the North line of said Tax Parcel;
- Thence N05°07'45"E, 49.69 feet along a West line of said Tax Parcel to the NW corner of said Tax Parcel
- and the North line of the NW 1/4 of the NW 1/4 of Section 18;
- Thence S84°50'21"E, 643.12 feet along said North line to the NE corner of said Tax Parcel;
- Thence S01°27'21"W, 300 feet along the East line of said Tax Parcel to the SE corner thereof:
- Thence N84°51'09"W, 721.86 feet along the South line of said Tax Parcel to the Easterly Right-of-Way of
- 112 USH 10 (South Oneida Street):
- 113 Thence the following 5 calls along the Northeasterly and Easterly Right-of-Way of said USH 10 (South
- 114 Oneida Street);

- 115 Thence S01°32'09"W, 436.72 feet;
- 116 Thence S47°14'40"W, 35.83 feet;
- 117 Thence S08°27'07"W, 40.55 feet:
- 118 Thence S01°35'18"W, 162.87 feet:
- Thence S45°15'46"E, 64.05 feet to the end of said calls and the Northerly Right-of-Way of USH 10/STH
- 120 114:
- Thence N89°50'09"E, 985.23 feet along said Right-of-Way;
- Thence continuing along said Right-of-Way 563.20 feet on the arc of a curve to the right having a radius
- of 5,779.57 feet with a chord that bears \$87°22'21"E, 562.98 feet;
- 124 Thence S84°34'51"E, 50.87 feet along said Northerly Right-of-Way to the West line of Tax Parcel No.
- 125 6256;
- 126 Thence North, 750 feet more or less along the West line and the Northerly extension thereof of said Tax
- Parcel to the Westerly extension of the North line of Tax Parcel No. 6255;
- Thence S86°55'42"E, 179 feet more or less along the Westerly extension and said North Parcel line and
- the Easterly extension thereof;
- Thence S01°28'56"W, 251.79 feet to the NW corner of Tax Parcel No. 6247;
- 131 Thence S88°31'04"E, 102.03 feet to the NE corner of said Tax Parcel;
- Thence S01°19'54"W, 313.13 feet to the NW corner of Tax Parcel No 6301:
- Thence S84°34'21"E, 145.37 feet to the NE corner of Tax Parcel No. 6301;
- 134 Thence S01°19'54"W, 223.37 feet to the SE corner of said Tax Parcel and the Northerly Right-of-Way of
- 135 said USH10/STH 114;
- 136 Thence the following 7 calls along said Northerly Right-of-Way;
- 137 Thence S84°34'15"E, 75.25 feet;
- Thence 205.47 feet along the arc of a curve to the right having a radius of 11,297.50 feet and a chord
- 139 which bears S84°04'20"E, 205.47 feet;
- 140 Thence N05°25'39"E, 8.75 feet;
- Thence 293.90 feet along the arc of a curve to the right having a radius of 11,306.25 feet and a chord
- 142 which bears \$82°47'22"E, 293.89';
- 143 Thence S82°02'43"E, 514.61 feet;
- 144 Thence S00°44'37"W, 9.09 feet:
- Thence S82°02'47"E, 70.33 feet to the end of said calls and the SW corner of Tax Parcel No. 6234;
- Thence N00°36'17"E, 425.22 feet to the NW corner of said Tax Parcel;
- Thence S89°23'43"E, 297.54 to the NE corner of said Tax Parcel;
- Thence S00°36'17"W, 454.52 feet to said Northerly Right-of-Way of USH 10/STH 114;
- Thence S82°02'47"E, 201.12 feet along said northerly Right-0f-Way to the West line of lands described in
- Volume 90 of Deeds, Page 358, Calumet County Registry;
- Thence North, 599 feet along said West line to the North line of said Volume 90 of Deeds, Page 358;
- Thence East, 575.3 feet along a line parallel with and 436.1 feet South of the North line of the NE 1/4 of
- said Section 18 being the North line of said Volume 90 of Deeds, Page 358 to the East line of the West 5
- acres of the NE ¼ of the NE ¼ of said Section 18;
- 155 Thence South, 319 feet more or less along said East line to the South line of the North 20 acres of the
- East 35 acres of said NE ¼ of the NE ¼;
- 157 Thence East, 33 feet more or less along said South to the West line of the East 34 acres of said NE 1/4 of
- 158 the NE 1/4;
- Thence South, 71.85 feet along the West line of said East 34 acres;
- 160 Thence Northwesterly, 33 feet more or less parallel with the centerline of Coupe Road also known as
- 161 USH 10/STH 114 to the Southwesterly most corner of lands described in Volume 69, Page 563 of
- 162 Calumet County Registry;
- Thence South, 270 feet more or less to the Northerly Right-of-Way of USH 10/STH 114;
- Thence Easterly, 920 feet along said Right-of-Way to the West line of Lot 1 of Certified Survey Map No.
- 2475 as recorded in Volume 19 of Certified Survey Maps on Page 117;
- Thence N01°01'40"W, 497.37 feet along the West line of said Lot 1 to the NW corner thereof;
- Thence N89°05'32"E, 250.00 feet along the North line of Lots 1 and 2 of said Certified Survey Map No.
- 168 2475 to the NE corner of said Lot 2;
- Thence S01°01'40"E, 502 feet along the East line of Lots 2 and 3 of said Certified Survey Map No. 2475
- to the Northerly Right-of-Way of said USH 10/STH 114;
- 171 Thence the following 9 calls along the City of Menasha Corporate Boundary;

- 172 Thence S80°06'11"E, 66.84 feet along said Northerly Right-of-Way:
- 173 Thence S81°54'24"E, 229.88 feet along said Northerly Right-of-Way;
- 174 Thence N00°59'24"W, 213.39 feet;
- 175 Thence S89°11'12"E, 302.20 feet;
- Thence S00°48'48"W, 97.67 feet to the South line of the NW ¼ of the NW ¼ of Section 17, T20N-R18E:
- 177 Thence S89°37'49"E, 656.55 feet along said South line:
- 178 Thence Southerly, 225.71 feet to said Northerly Right-of-Way;
- 179 Thence Easterly, 50.87 feet along said Northerly Right-of-Way on the arc of a curve to the right having a
- radius of 11,555.42 feet and a chord which bears \$75°25'20"E, 50.87 feet;
- 181 Thence continuing Easterly, 154.60 feet along said Northerly Right-of-Way on the arc of a curve to the
- right having a radius of 11,555.42 feet and a chord which bears \$74°54'27"E, 154.60 feet and the end of
- said calls to the West line of Lot 3 Calumet County Certified Survey Map No. 3502;
- Thence N00°20'02"E, 392 feet more or less along the West line of Tract #2 of Certified Survey Map No.
- 185 336 as recorded in Volume 2 of Certified Survey Maps on Page 207 to the South line of the N ½ of the
- 186 NW ¼ of Section 17 as evidenced and occupied;
- Thence N88°53'04"E, 839.06 feet along said South line to the West line of Tract #1 of said Certified
- 188 Survey Map No. 336;
- Thence N00°20'02"E, 1,291.24 feet along the West line of Tract #1 of said Certified Survey Map No. 336
- 190 to the NW corner thereof and to the South line of said Section 8;
- 191 Thence N89°37'19"W, 983 feet more or less along the South line of the SW ¼ of the SW ¼ of said
- 192 Section 8 to the West line of the E ½ of said SW ¼ and the SW corner thereof;
- Thence N00°53'56"E, 2,449.51 feet along said West line;
- 194 Thence West, 104.00 feet;
- 195 Thence North, 128.49 feet to the South Right-of-Way of Manitowoc Road;
- 196 Thence East, 1,128.18 feet along said Right-of-Way;
- 197 Thence S00°19'15"W, 300 feet;
- 198 Thence N89°13'33"E, 150 feet:
- 199 Thence N00°19'15"E, 300 feet to said South Right-of-Way:
- Thence N89°13'33"E, 150 feet along said Right-of-Way;
- 201 Thence N00°19'15"E, 33.01 feet to the C 1/4 corner of said Section 8 and the SE corner of Pine Tree
- 202 Estates;
- 203 Thence North, 726.25 feet to the NE corner of Pine Tree Estates;
- Thence West, 329.36 feet to the NW corner of Pine Tree Estates;
- Thence South, 726.30 feet to the SW corner of Pine Tree Estates on the South line of the SE 1/4 of the
- 206 NW ¼ of said Section 8;
- Thence West, 1,033.7 feet along the said South line to the Southerly extension of the East line of Lot 51
- 208 Cottonwood Creek III and the centerline of Manitowoc Road;
- 209 Thence West, 410.65 feet along said Centerline;
- Thence South, 168.49 feet along the City of Menasha Corporate Boundary and its Northerly extension as
- 211 described in Jacket 5176, Image 21-24;
- Thence West, 128 feet along said Corporate Boundary;
- Thence North, 168.49 feet along said Corporate Boundary and its Northerly extension to the Centerline of
- 214 Manitowoc Road;
- Thence West, 527.66 feet along said centerline to the Northerly extension of the East Right-of-Way of
- 216 Kernan Avenue:
- Thence South, 40.0 feet along said extension to the NW corner of Lot 9 of Green Acres Pond Estates;
- Thence East, 130.00 feet along the North line of said Lot 9 to the NE corner thereof;
- Thence South, 295.00 feet along the East line of Lots 9, 8 and 7 of Green Acres Pond Estates to the
- 220 North line of Lot 6 of Green Acres Pond Estates;
- Thence East, 74.97 feet along said North line to the NE Corner of said Lot 6;
- 222 Thence South, 176.93 feet along the East line of Lots 6 and 5 of Green Acres Pond Estates to the SE
- 223 corner of said Lot 5;
- 224 Thence continue South, 12 feet along the Southerly extension of said East line;
- 225 Thence West, 205.00 feet along a line being 12 feet South of and parallel with the North line of Lot 1 of
- 226 Calumet County Certified Survey Map No. 1955 and the South line of Lot 5 of Green Acres Pond Estates
- 227 to the East Right-of-Way of Kernan Avenue;
- 228 Thence South, 27.38 feet along said East Right-of-Way:

- Thence West, 215.99 feet along a line being 3 feet South of and parallel with the North line of Lot 1 of
- 230 Calumet County Certified Survey Map No. 1955 and the South line of Lot 4 of Green Acres Pond Estates
- 231 to the Southerly extension of the West line of Green Acres Pond Estates;
- Thence North, 305.00 feet along said West line;
- 233 Thence West, 554.17 feet along the City of Menasha Corporate Boundary;
- Thence North, 205.00 feet along said Corporate Boundary to the South Right-of-Way of Manitowoc Road;
- Thence East, 554.72 feet along said South Right-of-Way to the East line of the NE 1/4 of the SE 1/4 of
- 236 Section 7:
- Thence continue East, 150.00 feet along said South Right-of-Way to the West Right-of-Way of Kernan
- 238 Avenue:
- 239 Thence North, 33 feet along the Northerly extension of said West Right-of-Way to the Centerline of
- 240 Manitowoc Road and the North line of the NW ¼ of the SW ¼ of Section 8;
- Thence West, 150.00 feet along said line to the West ¼ corner of said Section 8:
- Thence Westerly, 2,643 feet along the South line of the NE ¼ of Section 7 to the Center ¼ corner of said
- 243 Section 7:
- Thence Northerly, 319 feet along the West line of the SW ¼ of the NE ¼ of said Section 7 to the
- 245 Southerly Right-of-Way of Plank Road;
- Thence continuing Northerly along said West line to the Northerly Right-of-Way of said Plank Road;
- 247 Thence continuing Northerly, 354.14 feet along said West line;
- Thence S89°44'54"E, 225 feet along the North line of Calumet County Tax Parcel ID No. 5679 to a corner
- of Lot 2 of Calumet County Certified Survey Map No. 850;
- Thence N59°56'37"E, 25.48 feet along a Northwesterly line of said Lot 2;
- Thence N00°15'06"E, 319.02 feet along the West line of Lots 1 and 2 of said Certified Survey Map No.
- 252 850 to the NW corner of said Lot 1;
- Thence S89°40'34"E, 164.55 feet along the North line of said Lot 1 to the NE corner thereof;
- 254 Thence S08°38'56"E, 55.30 feet along the East line of said Lot 1;
- 255 Thence S89°44'54"E, 168.95 feet;
- 256 Thence N00°15'06"E, 57.07 feet;
- Thence N69°50'54"E, 208.88 feet to the NE corner of Calumet County Tax Parcel No. 5674 to the West
- line of Lot 1 of Calumet County Certified Survey Map No. 581;
- Thence North, 8.48 along the West line of said Lot 1 to the NW corner thereof;
- Thence East, 151.16 feet along the North line of said Lot 1 to the NE corner thereof;
- Thence Southeasterly, 236.58 along the East line of said Lot 1 to the SE corner thereof being the
- Northerly Right-of-Way of said Plank Road;
- Thence S59°57'06"W, 1,443 feet along said Right-of-Way to the West line of said NE ¼ of Section 7;
- Thence Southerly, 69 feet along said West line to the Southerly Right-of-Way of said Plank Road;
- Thence N59°57'06"E, 1,203.04 feet along said Southerly Right-of-Way;
- Thence N59°55'25"E, 297.87 feet along said Southerly Right-of-Way;
- Thence N36°23'18"W, 65.58 feet along the Southwesterly line of Detachment Description of Parcel 1
- 268 contained in Annexation Ordinance Number 0-02-03, filed on January 13, 2003 by the City of Menasha
- with the Wisconsin Secretary of State to the most Westerly corner of said Detachment being the Northerly
- 270 Right-of-Way of said Plank Road;
- Thence S58°57'59"W, 2.34 feet along said Northerly Right-of-Way to the Southwesterly line of Calumet
- 272 County Tax Parcel No. 5673;
- Thence N36°23'18"W, 213.14 feet along said Southwesterly line to the NW corner of said Parcel;
- Thence N90°00'00"E, 207.08 feet along the North line of said Parcel to the NE corner thereof;
- Thence S00°51'56"W, 201.95 feet along the East line of the NE ¼ of Section 7 to the Southerly Right-of-
- 276 Way of said Plank Road;
- 277 Thence Northeasterly, 236 feet along said Southerly Right-of-Way to the South line of the NE ¼ of the NE
- 278 ¼ of said Section 7 and the City of Menasha Corporate Boundary line;
- Thence N58°01'08"E, 216.17 feet along said Southerly Right-of-Way to the NW corner of Lot 59 of
- 280 Meadowview Estates II Subdivision:
- Thence S00°04'55"E, 154.89 feet along the West line of said Lot 59 and the West line of Lot 3 of Grassy
- Fields Subdivision to the Northeast corner of Lot 2 of Grassy Field Subdivision;
- Thence N89°48'40"W, 183.55 feet along said Corporate Boundary line and the North line of Lots 2 and 1
- 284 of Grassy Field Subdivision;

- Thence N00°30'02"E, 39.79 feet along said Corporate Boundary line to the South line of the NE ¼ of the
- 286 NE 1/4 of Section 7 and the Southerly Right-of-Way of said Plank Road;
- 287 Thence Southwesterly, 236 feet along said Southerly Right-of-Way to the East line of Hoffman Estates;
- Thence S00°51'56"W, 1,266.00 feet along said East line, the East line of Calumet County Certified
- Survey Map No. 108, the East line of the SE ¼ of the NE ¼, and the East line of the NW ¼ of the SE ¼ of
- 290 Section 7 to the South Right-of-Way of Manitowoc Road;
- Thence West, 1,319.25 feet along said South Right-of-Way to the West line of the NW ¼ of the SE ¼ of
- 292 said Section 7;
- 293 Thence North, 147.20 feet along said West line to the Center of said Section 7;
- Thence Easterly, 2,643 feet along the South line of the NE ¼ of Section 7 to the W ¼ corner of Section 8:
- 295 Thence N87°22'46"W, 339.53 feet along the south line of the SE ¼ of the NE ¼ of Section 7 to the
- 296 Southerly extension of an East line of Lot 84 of Grassy Fields Subdivision;
- Thence N00°31'32"E, 250.32 feet to the South line of said Lot 84;
- Thence S89°53'33"E, 113.30 feet along said South line to the NW corner of Lot 1 of Calumet County
- 299 Certified Survey Map No. 2342;
- Thence S86°48'03"E, 226.25 feet along said South line and the North line of Lot 1 of Certified Survey
- Map No. 2342 to the West line of Cottonwood Creek, being the West line of the SW ¼ of the NW ¼ of
- 302 said Section 8;
- Thence North, 1,074.13 feet along said West line to the NW corner of Cottonwood Creek II;
- Thence East, 956.05 feet along the North line of Cottonwood Creek II and the North line of Cottonwood
- 305 Creek III to the SW corner of Certified Survey Map 152;
- Thence North, 361.50 feet along the East line of the Second Subdivision of Janet Berry and the West line
- 307 of said Certified Survey Map to the NW corner thereof;
- Thence East, 328.50 feet along the North line of said Certified Survey Map to the West Right-of-Way of
- 309 Telulah Avenue;
- Thence South, 135.60 feet more or less to the Westerly extension of the North line of Lot 40 First Addition
- 311 to Berry Fields;
- Thence East, 33 feet along said extension to the Centerline of Telulah Avenue;
- Thence East, 342.82 feet along the extended North lines of Lots 40 and 18 of First Addition to Berry
- 314 Fields to the NE corner of said Lot 18;
- Thence South, 89.17 feet to the SE corner of said Lot 18;
- Thence East, 175.82 feet along the North line of Lot 2 First Addition to Berry Fields and its Easterly
- 317 extension to the East Right-of-Way of Johann Drive;
- Thence North, 256.43 feet along said East Right-of-Way to the NW corner of Lot 27 First Addition to Haen
- 319 Heights:
- 320 Thence East, 1,131.00 feet along the North lines of said First Addition to Haen Heights and the First
- 321 Addition to Ashland Hollows to the NE corner of Lot 38 of said First Addition to Ashland Hollows, being
- 322 the East line of the West 10 acres of the NW ¼ of the NE ¼ of said Section 8;
- Thence Northerly, 930.81 feet along said East line to the North line of said NE ¼ and POINT "A";
- Thence Westerly, 334 feet along said North line to the N ¼ corner of said Section 8;
- Thence Westerly, 977 feet along the North line of the NW ¼ of said Section 8 to the NE corner of Lot 1 of
- 326 Calumet County Certified Map No. 1928;
- 327 Thence continuing Westerly, 112.07 feet along the North line of said Lot 1 to the NW corner thereof;
- 328 Thence Southerly, 260 feet along the West line of said Lot 1 to the SW corner thereof;
- 329 Thence Easterly, 112.07 feet along the South line of said Lot 1 to the SE corner thereof;
- Thence Northerly, 260 feet along the East line of said Lot 1 to the NE corner thereof and the North line of
- 331 the NW 1/4 of said Section 8;
- Thence Easterly, 977 feet along the North line of said NW ¼ to the N ¼ corner of said Section 8;
- Thence Easterly, 334 feet along the North line of the NE ¼ of said Section 8 to said POINT "A";
- Thence Easterly, 3.41 feet along said North line to the South Right-of-Way of Midway Road;
- Thence Easterly, 987.14 feet along said South Right-of-Way to East line of the NW ¼ of the NE ¼ of said
- 336 Section 8;
- Thence Northerly, 80.25 feet to the SE corner of Aspen Ridge Plat and the Northerly Right-of-Way of
- 338 Midway Road;
- Thence N00°27'46"E, 1,761.21 feet along the East line of Aspen Ridge Plat to the reference line of C.T.H.
- "AP" (aka Plank Road) according to State R/W Project Number 4984-01-21;

- Thence Northeasterly 206.70 feet along the arc of a curve to the right having a radius of 11,459.16 feet
- and the chord of which bears North 59°29'30" East 206.70 feet along said reference line for C.T.H. "AP"
- 343 (aka Plank Road);
- Thence N60°00'31"E, 1340.11 feet along the said CTH "AP" (Plank Road) reference line to the east line
- of the SE 1/4 of said Section 5.
- Thence continue North 60°00'30" East 3.31 feet along said reference line to a reference line for C.T.H.
- 347 "LP" (aka Lake Park Road);
- Thence S00°49'58" W 178.49 feet along said reference line for C.T.H. "LP" (aka Lake Park Road) to point
- 349 B
- Thence Northeasterly, 66.14 feet more or less to a point on a vison corner at the Southeasterly corner of
- 351 CTH "AP" (Plank Road) and CTH "LP" (Lake Park Road);
- 352 Thence Northeasterly, 36 feet along said vision corner to the Southerly Right-of-Way of CTH "AP" (Plank
- 353 Road)
- Thence Northeasterly, 2,689 feet more or less along said Southerly Right-of-Way to the Southerly
- extension of the East line of Lot 1 of Calumet County Certified Survey Map No. 689;
- Thence Northerly, 124 feet along said East line and extension thereof to the Northwesterly Right-of-Way
- 357 of said CTH "AP"
- Thence S59°12'36"W, 60.74 feet along said Northwesterly Right-of-Way;
- Thence S50°40'45"W, 101.12 feet along said Northwesterly Right-of-Way;
- Thence S59°12'36"W, 77.54 feet along said Northwesterly Right-of-Way to the Southeast corner of Lot 1
- of Calumet County Certified Survey Map No. 2800;
- Thence N04°17'06"W, 228.95 feet along the East line of said Lot 1 Certified Survey Map No. 2800 to the
- 363 NW corner of said Certified Map No. 689;
- Thence N59°11'24"E, 251.00 feet along the Southerly line of said Lot 1 Certified Survey Map No. 2800
- and the Northerly line of Lot 1 of Certified Survey Map No. 689 to the NE corner of said Lot 1 Certified
- 366 Survey Map No. 689;
- Thence S00°22'28"W, 222.02 feet along the East line of said Lot 1 Certified Survey Map No. 689 to the
- 368 Northwesterly Right-of-Way of said CTH "AP";
- 369 Thence Southerly, 124 feet along the extension of said East line to the Southerly Right-of-Way of said
- 370 CTH "AP":
- 371 Thence Southwesterly, 2,689 more or less feet along said Southerly Right-of-Way to the vision corner at
- the Southeasterly corner of said CTH "AP" (Plank Road) and CTH "LP" (Lake Park Road);
- 373 Thence Southwesterly, 36 feet along said vision corner to a point on a vison corner at the Southeasterly
- 374 corner of CTH "AP" (Plank Road) and CTH "LP" (Lake Park Road);
- Thence Southwesterly, 66.14 more or less feet to the said reference of CTH "LP" (Lake Park Road) and
- 376 said POINT "B";
- 377 Thence South 00°49'58" West 2169.67 feet along said reference line for C.T.H. "LP" (aka Lake Park
- Road); to the SE corner of said Section 5 also known as the SW corner of Section 4;
- Thence S89°21'16"E, 74.93 feet along the South line of said SW ¼ of the SW ¼ to the East Right-of-Way
- 380 of CTH "LP" (Lake Park Road);
- Thence Northwesterly along said Right-of-Way 24.49 feet on the arc of a 59.50 foot radius curve to the
- right having a chord which bears N24°44'01"W, 24.31 feet;
- Thence continuing Northwesterly, 103.63 feet along said Right-of-Way on the arc of a 750.00 foot radius
- curve to the right having a chord which bears N08°59'10"W, 103.55 feet;
- Thence continuing along said Right-of-Way N05°01'40"W, 17.55 feet;
- Thence continuing along said Right-of-Way N00°49'31"E, 145.48 feet to the North Line of the South 287
- 387 feet of said SW 1/4 of the SW 1/4;
- Thence S89°21'16"E, 248.66 feet along said North Line to the East Line of the W 294 feet of said SW 1/4
- 389 of the SW 1/4;
- 390 Thence S00°45′38"W, 283.00 feet along said East Line to the North Right-of-Way of Midway Road;
- Thence Southwesterly, 23.29 feet along said Right-of-Way to the South Line of said SW ¼ of the SW ¼
- on the arc of a 2,010.00 foot radius curve to the left having a chord which bears S80°45'01"W, 23.29 feet;
- Thence N89°21'16"W, 196.14 feet along said South Line and said Right-of-Way;
- Thence N89°21'16"W, 74.93 feet along the South line of said SW ¼ of the SW ¼ to the SW corner of
- 395 Section 4;
- Thence North 89°10'02" West 50.00 feet to the West line of said C.T.H. "LP" (aka Lake Park Road);

- 397 Thence North 00°49'58" East 20.51 feet along the West line of said C.T.H. "LP" (aka Lake Park Road) to
- 398 the northerly right-of-way line of Midway Road;
- 399 Thence the following 6 calls along said Northerly Right-of-Way Line;
- 400 Thence Southwesterly, 3.64 feet along the arc of a 30 foot radius curve to the right having a chord which
- 401 bears S53°49'41"W, 3.64 feet;
- 402 Thence Southwesterly, 35.65 feet along the arc of 59.50 foot radius curve to the right having a chord
- 403 which bears S74°28'07"W, 35.12 feet;
- 404 Thence Westerly, 85.44 feet along the arc of a 4,015.00 foot radius curve to the left having a chord which
- 405 bears N88°58'37"W, 85.44 feet;
- 406 Thence S85°56'01"W, 51.19 feet;
- Thence S88°57'12"W, 18.52 feet to the West line of said lands described in Document No. 507850;
- Thence Westerly, 1,078 feet more or less to the SE corner of Aspen Ridge Plat and the end of said 6
- 409 calls;
- 410 Thence Southerly, 80.25 feet to the South Right-of-Way of said Midway Road;
- Thence Easterly, 659.77 feet along said South Right-of-Way to East line of the W ½ of the NE ¼ of the
- 412 NE 1/4 of said Section 8;
- Thence Easterly and Southeasterly, 717 feet more or less along said Southerly Right-of-Way to the
- 414 Westerly Right-of-Way of CTH "LP" (Lake Park Road);
- Thence Easterly, 48 feet more or less to the East line of the NE ¼ of said Section 8 and POINT "D";
- Thence Southerly, 2,391 feet more or less along said East line to the E 1/4 corner of said Section 8;
- Thence Westerly, 139.99 feet along the South line of the NE ¼ of said Section 8 to the Northwesterly
- extension of the NE line of Calumet County Certified Survey Map No. 1583;
- Thence Southeasterly, 140.26 feet along the Northeast line of said Lot 1 to the West Right-of-Way of CTH
- 420 "LP" (Lake Park Road):
- Thence Southerly, 251.32 feet along said Westerly Right-of-Way to the SE corner of said Lot 1;
- Thence Westerly, 171.93 feet along the South line of said Lot 1 to the SW corner thereof;
- Thence Northerly, 348.80 feet along the West line of said Lot 1 and its Northerly extension to the South
- 424 line of the NE 1/4 of said Section 8:
- Thence Westerly, 943 feet more or less along said South line to the NE corner of Lot 2 Certified Survey
- 426 Map No. 2928:
- Thence S00°33'27"W, 772.93 feet to the SE corner of said Lot 2;
- 428 Thence N85°54'42"W, 152.95 feet along the South line of said Certified Survey Map No. 2928 to the SW
- 429 corner of said Certified Survey Map;
- Thence N00°28'54"E, 760.47 feet along the West line of Lot 2 said Certified Survey Map to the South line
- 431 of said NE 1/4;
- Thence N00°15'34"E, 40.00 feet to the SW corner of Outlot 1 of said Second Addition to Cedar Ridge
- 433 Estates:
- Thence N00°15'34"E, 1,270.48 feet to the NW corner of Lot 88 of said Second Addition to Cedar Ridge
- 435 Estates;
- 436 Thence Westerly, 709.96 feet along the South line of the N ½ of the NE ¼ of said Section 8 to the NE
- 437 corner of Lot 14 of Cedar Ridge Estates:
- Thence the next 7 calls along the East line of Cedar Ridge Estates;
- 439 Thence South, 206,04 feet:
- 440 Thence East, 69.34 feet;
- 441 Thence South, 288.79 feet;
- 442 Thence West, 45.18 feet;
- 443 Thence South, 344.55 feet;
- 444 Thence East, 43.88 feet:
- Thence South, 468.5 feet more or less to the end of the 7 calls on the South line of the SW 1/4 of the NE 1/4
- 446 of said Section 8;
- Thence West, 681.48 feet along the said South line to the C 1/4 corner of said Section 8 and the SE corner
- 448 of Pine Tree Estates;
- Thence S00°19'15"W, 33.01 feet to the South Right-of-Way of Manitowoc Road;
- Thence N89°25'35"E, 660.53 feet along said South Right-of-Way to the East line of the W ½ of the NW ¼
- 451 of the SE 1/4 of said Section 8;
- Thence S00°24'05"W, 750.90 feet along said East line;
- Thence N89°35'37"E, 659.44 feet to the East line of the E ½ of the NW ¼ of the SE ¼ of said Section 8;

- 454 Thence S00°28'54"W, 528.02 feet along said East line to the SE corner thereof:
- Thence S89°35'35"W, 658.71 feet along the South line of the E ½ of the NW ¼ of the SE ¼ of said
- 456 Section 8 to the SW corner thereof;
- Thence S00°24'05"W, 1,311.91 feet along the East line of the W ½ of the SW ¼ of the SE ¼ of said
- 458 Section 8 to the SE corner thereof;
- Thence S89°45'41"W, 656.84 feet along the South line of said Section 8 to the S 1/4 corner of said Section
- 460 8 and the NE corner of Tract #1 of Certified Survey Map No. 336;
- Thence S00°20'02"W, 1,935 feet more or less along the East line of said Tract #1 to the North Right-of-
- 462 Way of USH 10/STH 114;
- Thence the following 5 calls along said North Right-of-Way;
- 464 Thence S72°31'50"E, 970.36 feet;
- Thence 415.12 feet along the arc of a 3,712.00 foot radius curve to the left with a chord which bears
- 466 S75°44'03"E, 414.91 feet;
- 467 Thence S86°19'06"E, 195.24 feet;
- Thence 453.13 feet along the arc of a 3,692.00 foot radius curve to the left with a chord which bears
- 469 \$85°27'35"E, 452.84 feet;
- Thence \$88°58'32"E, 564.35 feet to the end of said calls;
- Thence S43°51'10"W, 170.44 feet to the Reference line of USH 10 and STH 114 (DOT Project No. 150-4-
- 472 21);
- Thence Easterly, 184.12 feet along said reference line to the West line of NW ¼ of Section 16, T20N-
- 474 R18E:
- 475 Thence N00°36'55"E, 2,504.16 feet along the City of Menasha Corporate Boundary, its Southerly
- 476 Extension and the West line of the NW ½ of said Section 16 to the NW corner of said Section 16;
- Thence N00°38'30"E, 1,735.19 feet along the City of Menasha Corporate Boundary and the West line of
- 478 the SW 1/4 of said Section 9:
- Thence S89°35'37"W, 48.08 feet to the West Right-of-Way of CTH "LP" and POINT "E";
- Thence S01°12'22"W, 135.62 feet along said West Right-of-Way;
- Thence S00°39'46"W, 281.81 feet along said West Right-of-Way to the South line of the NE ¼ of the SE
- 482 1/4 of Section 8;
- Thence S89°35'37"W, 159.18 feet along said South line;
- 484 Thence N00°38'30"E, 417.40 feet;
- Thence N89°35'37"E, 208.70 feet to the West line of the SW ¼ of said Section 9 to said POINT "E";
- Thence N00°38'30"E, 900.39 feet along the City of Menasha Corporate Boundary and the West line of
- 487 the SW ¼ of said Section 9 to the W ¼ corner of said Section 9;
- Thence Northerly, 2,391 feet more or less along the East line of the NE ¼ of Section 8 to said POINT "D"
- 489 and the City of Appleton Corporate Boundary;
- 490 Thence the following calls are along said Corporate Boundary;
- Thence Easterly, 46 feet more or less to the Easterly Right-of-Way of CTH "LP" (Lake Park Road);
- Thence N00°11'40"W, 86.92 feet along said Easterly Right-of-Way;
- Thence Northeasterly, 14.81 feet along the arc of a 44.50 radius curve to the right with a chord which
- 494 bears N57°27'11"E, 14.74 feet;
- Thence Northeasterly, 92.36 feet along the arc of a 384.50 foot radius curve to the right with a chord
- 496 which bears N73°52'13"E, 92.14 feet;
- 497 Thence N80°45'06"E, 76.04 feet;
- 498 Thence N82°23'28"E, 18.23 feet;
- 499 Thence Northeasterly, 85.87 feet along the arc of a curve to the left with a chord which bears
- 500 N81°11'07"E, 85.86 feet;
- Thence N79°58'46"E, 86.92 feet to the East line of Lot 1 of Calumet County Certified Survey Map No.
- 502 2526;
- 503 Thence N79°58'47"E, 371.54 feet along the Southerly Right-of-Way of Midway Road;
- Thence Easterly, 547.42 feet along the arc of a 3,213.73 foot radius curve to the right with a chord which
- bears N84°51'35"E, 546.78 feet along said Southerly Right-of-Way to the East line of a dedicated Village
- 506 Road per Calumet County Certified Survey Map No. 3182;
- Thence S00°22'05"W, 51.28 feet along said East Right-of-Way to the North line of the NW 1/4 of Section 9;
- Thence S89°21'26"E, 1,043.36 feet along said North line to the Southerly Right-of-Way of Midway Road;
- Thence S77°43'26"E, 120.93 feet along said South Right-of-Way;

- Thence Southeasterly, 159.45 feet along the arc of a 761.57 foot radius curve to the left with a chord
- which bears S83°43'18"E, 159.15 feet along said South Right-of-Way to the East line of the NE ¼ of the
- 512 NW 1/4 of Section 9:
- 513 Thence S89°43'11"E, 2,619.79 feet parallel with and 40 feet South of the North line of the NE ¼ of said
- Section 9 to the East line of said NE 1/4;
- 515 Thence East, 33 feet to the Southern extension of the East Right-of-Way of Coop Road (66 foot wide per
- 516 City of Appleton Corporate Boundary);
- 517 Thence Northerly, 4,475 feet along the City of Appleton Corporate Boundary and the East Right-of-Way of
- Coop Road to the extended North line of Lot 1 of Certified Survey Map No. 2932;
- Thence N89°28'07"W, 1,020.56 feet to the Easterly Right-of-Way of Eisenhower Drive;
- 520 Thence N00°07'53"E, 440.39 feet to the Southerly line of Lot 4 of Kwik Trip Plat:
- Thence S89°28'07"E, 525.98 feet along said Southerly line of Lot 4 and Certified Survey Map Nos. 2482
- and 3135 and the extension of said South line to West Right-of-Way of Victorian Drive;
- Thence N00°30'35"W, 205.60 feet along said West Right-of-Way to the NW corner thereof;
- 524 Thence N89°41'00"E, 497.65 feet along the North line of Calumet County Certified Survey Map No. 2482
- and Calumet County Certified Survey Map No. 3135 and its Easterly extension to the East Right-of-Way
- 526 of Coop Road;
- 527 Thence N00°31'53"E, 32.95 feet along the East Right-of-Way of Coop Road
- Thence S89°15'59"E, 7.00 feet along the East Right-of-Way of Coop Road;
- Thence N00°31'53"E, 203.05 feet along the East Right-of-Way of Coop Road to a vision corner in the SE
- 530 corner of CTH "KK" (Calumet Street) and Coop Road;
- Thence N45°38'06"E, 70.56 feet along said vision corner to the South Right-of-Way of said CTH "KK"
- 532 (Calumet Street);
- Thence N08°58'34"W, 133.89 feet to the North Right-of-Way of said CTH "KK" (Calumet Street) and the
- end of the calls along the City of Appleton Corporate Boundary:
- Thence Easterly, 13,029 feet more or less along said North Right-of-Way of CTH "KK" (Calumet Street)
- through the intersecting Streets to the Northerly extension of the East line of the NW 1/4 of said Section 1.
- 537 T20N-R18E;
- Thence South, 50.00 feet to the North line of the NE ½ of said Section 1;
- Thence S89°20'29"E, 2,517.88 feet along the North line of the NE ¼ of said Section 1 to the NE corner of
- said Section 1 also being the NW corner of Section 6, T20N-R19E;
- Thence S89°23'41"E, 1,188.48 feet along the North line of the NW ¼ of said Section 6 to the NW corner
- of lands described in Document No. 482005 and being the City of Kaukauna Corporate Boundary;
- 543 Thence Southerly and Easterly around said Boundary 2,521 feet more or less to the NE corner of said
- Boundary and the North line of the NW ¼ of said Section 6;
- Thence continuing S89°23'41"E, 396.88 feet along said North line to the N ¼ corner of said Section 6;
- Thence S89°26'26"E, 2,629.92 feet along the North line of the NE ¼ of said Section 6 to the NE corner of
- said Section 6 also being the NW corner of Section 5, T20N-R19E;
- Thence S89°26'16"E, 2,629.82 feet along the North line of the NW ¼ of said Section 5 to the N ¼ corner
- 549 of said Section 5:
- Thence S89°21'18"E, 2,625.11 feet along the North line of the NE ¼ of said Section 5 to the POINT OF
- 551 BEGINNING.

552

553	Dated: /2/14/30	
554 555	VILLAGE OF HARRISON	
556	Calumet and Outagamie Counties, Wisconsin	
557	Calamer and Calaganne Countries, Wildon	
558		
559	1.6 1	
560	In fudis me	
561	Jennifer Weyenberg /	
562	Village Clerk	
563		
564		
565 566		
567		
568		
569	McMahon Associates, Inc.	
570	1445 McMahon Drive, Neenah, WI 54956	
571	P.O. Box 1025, Neenah, WI 54957-1025	
572	Telephone: (920)751-4200	Date: December 10, 2020
573	2020January 18, 2018	
574	FAX: (920)751-4284	McM. No. H0006-09-20-00810